










TRIANGLE TYRE








Pattern No.	Pattern Design	Size	PR	Load Index Speed Rate	Tread Depth (mm)	Rim	Section Width (mm)	Overall Diameter (mm)	Max. Load (Kg)	Relative Pressure (Kpa)	Tube	Min. Dual Tire Space (mm)	ECE
-------------	----------------	------	----	--------------------------	------------------	-----	--------------------	-----------------------	----------------	-------------------------	------	---------------------------	-----








1. RADIAL PCR/LT TYRE


TR777 SNOW		155/70R13	--	75QST	8,1	4½J	157	548	387	350	TL		
		165/70R14	--	81/85QST	8,1	5J	170	588	462	350	TL		
		175/65R14	--	82/86QSTH	8,5	5J	177	584	475	350	TL		
		175/70R13	--	82/86QST	8,1	5J	177	576	475	350	TL		
		185/60R14	--	82/86QST	8,5	5½J	189	578	475	350	TL		
		185/65R14	--	86/90QST	8,5	5½J	189	596	530	350	TL		
		185/65R15	--	88/92QST	8,5	5½J	189	621	560	350	TL		
		195/60R14	--	86QST	8,5	6J	201	590	530	350	TL		
		195/60R15	--	88QST	8,5	6J	201	615	560	350	TL		
		195/65R15	--	91/95QST	8,9	6J	201	635	615	350	TL		
		205/55R16	--	91/94STH	8,9	6½J	214	632	615	350	TL		
		205/65R15	--	94/99QST	8,5	6J	209	647	670	350	TL		
		205/70R15	--	96QST	8,5	6J	209	669	710	350	TL		
		215/55R16	--	93/97QST	8,5	7J	226	642	650	350	TL		
		215/65R16	--	98/102QST	8,5	6½J	221	686	750	350	TL		
		215/70R15	--	98QST	8,5	6½J	221	683	750	350	TL		
		225/45R17	--	91/94STH	8,5	7½J	225	634	615	350	TL		
		235/65R17	--	104/108QST	9,3	7J	240	738	900	350	TL		
TR918		185/60R14	--	82/86THV	8,2	5½J	189	578	475	350	TL		Y
		185/65R14	--	86/90THV	8,2	5½J	189	596	530	350	TL		
		185/65R15	--	88/92THV	8,2	5½J	189	621	560	350	TL		
		195/50R15	--	82/86VW	8,2	6J	201	577	475	350	TL		Y
		195/55R15	--	85/89HV	8,2	6J	201	595	515	350	TL		
		195/60R14	--	86THV	8,2	6J	201	590	530	350	TL		Y
		195/60R15	--	88THV	8,2	6J	201	615	560	350	TL		Y
		195/65R15	--	91/95THV	8,2	6J	201	635	615	350	TL		Y
		205/50R15	--	86/89VW	8,2	6½J	214	587	530	350	TL		Y
		205/50R16	--	87/91VW	8,2	6½J	214	612	545	350	TL		Y
		205/55R16	--	91/94VW	8,2	6½J	214	632	615	350	TL		Y
		205/60R15	--	91/95THV	8,2	6J	209	627	615	350	TL		Y
		205/60R16	--	92/96THV	8,2	6J	209	652	630	350	TL		Y
		205/65R15	--	94/99THV	8,2	6J	209	647	670	350	TL		
		215/55R16	--	93/97THV	8,2	7J	226	642	650	350	TL		Y
		215/60R15	--	94/98THV	8,2	6½J	221	639	670	350	TL		Y
		215/60R16	--	95/99THV	8,2	6½J	221	664	690	350	TL		Y

		225/50R16	--	92/96VW	8,2	7J	233	632	630	350	TL		Y
		225/55R16	--	95/99THV	8,2	7J	233	654	690	350	TL		Y
		225/60R16	--	98/102THV	8,2	6½J	228	676	750	350	TL		Y
TR988		195/50R15	--	82V	8,5	6J	201	577	475	280	TL		E4-0227500
		195/65R15	--	91V	9,0	6J	201	635	615	270	TL		
		205/60R15	--	91H	8,5	6J	209	627	615	280	TL		E4-0217059
		205/65R15	--	94H	9,0	6J	209	647	645	290	TL		
TR928		175/65R14	--	82/86THV	8,2	5J	177	584	475	350	TL		Y
		175/70R13	--	82/86THV	8,2	5J	177	576	475	350	TL		
		185/60R14	--	82/86THV	8,2	5½J	189	578	475	350	TL		Y
		185/65R14	--	86/90THV	8,2	5½J	189	596	530	350	TL		Y
		185/65R15	--	88/92THV	8,2	5½J	189	621	560	350	TL		
		185/70R14	--	88/92THV	8,2	5½J	189	616	560	350	TL		
		195/55R15	--	85/89HV	8,2	6J	201	595	515	350	TL		
		195/60R14	--	86THV	8,2	6J	201	590	530	350	TL		Y
		195/60R15	--	88THV	8,2	6J	201	615	560	350	TL		Y
		195/65R15	--	91/95THV	8,2	6J	201	635	615	350	TL		Y
		195/70R14	--	91/95THV	8,2	6J	201	630	615	350	TL		
		205/55R16	--	91/94HVW	8,2	6½J	214	632	615	350	TL		Y
		205/60R15	--	91/95THV	8,2	6J	209	627	615	350	TL		Y
		205/65R15	--	94/99THV	8,2	6J	209	647	670	350	TL		Y
		215/65R15	--	96/100THV	8,2	6½J	221	661	710	350	TL		Y
		225/60R16	--	98/102THV	8,2	6½J	228	676	750	350	TL		
TR998		195/50R15	--	82V	8,5	6J	201	577	475	280	TL		E4-0227500
		195/65R15	--	91V	9,0	6J	201	635	615	270	TL		
		205/60R15	--	91H	8,5	6J	209	627	615	280	TL		E4-0217059
		205/65R15	--	94H	9,0	6J	209	647	645	290	TL		
		205/40R16	--	83VWY	7,9	7½J	212	570	487	350	TL		
		205/40R17	--	80/84VWY	7,9	7½J	212	596	450	350	TL		Y
		205/50R16	--	87/91VW	7,9	6½J	214	612	545	350	TL		
		205/55R16	--	91/94VW	7,9	6½J	214	632	615	350	TL		
		215/35R18	--	80/84VWY	7,9	7½J	218	607	450	350	TL		Y
		215/35R19	--	85VWY	7,9	7½J	218	633	515	350	TL		Y
		215/40R17	--	83/87VWY	7,9	7½J	218	604	487	350	TL		Y
		215/45R17	--	87/91VWY	7,9	7J	213	626	545	350	TL		Y
		215/50R17	--	91/95VWY	7,9	7J	226	648	615	350	TL		Y
		225/35R18	--	83/87VWY	7,9	8J	230	615	487	350	TL		Y
		225/40R18	--	88/92VWY	7,9	8J	230	637	560	350	TL		Y





TR968		225/45R17	--	90/94VWY	7,9	7½J	225	634	600	350	TL	Y
		225/50R16	--	92/96VW	7,9	7½J	233	632	630	350	TL	Y
		235/35R19	--	87/91VWY	7,9	8½J	241	647	545	350	TL	
		235/40R18	--	91/95VWY	7,9	8½J	241	645	615	350	TL	Y
		235/45R17	--	94/97VWY	7,9	8J	236	644	670	350	TL	Y
		235/45R18	--	94/98VWY	7,9	8J	236	669	670	350	TL	Y
		245/35R19	--	89/93VWY	7,9	8½J	248	655	580	350	TL	
		245/35R20	--	91/95WY	8,1	8½J	248	680	615	350	TL	Y
		245/40R18	--	93/97VWY	7,9	8½J	248	653	650	350	TL	Y
		245/45R17	--	95/99VWY	7,9	8J	243	652	690	350	TL	Y
		245/45R18	--	96/100VWY	7,9	8J	243	677	710	350	TL	
		255/35R18	--	90W/Y	8,1	9J	260	635	600	350	TL	
		255/30R22	--	95VWY	7,9	9J	260	713	690	350	TL	
		255/35ZR20	--	93/97W	8,1	9J	260	686	650	350	TL	Y
		265/30R19	--	89/93VWY	7,9	9½J	271	643	580	350	TL	
		265/35R18	--	93/97VWY	7,9	9½J	271	643	650	350	TL	
		265/35R22	--	98/102VWY	7,9	271	745	750	750	350	TL	
		295/35R24	--	110VWY	7,9	10½J	301	816	1060	350	TL	
		305/35R24	--	112VWY	7,9	11J	313	824	1120	350	TL	
		TR288		205/70R14	--	95T	8,5	6J	209	644	690	270
205/70R15	--			95T	8,5	6J	209	690	690	270	TL	
TR268		175/65R14	--	82T	8,0	5J	177	584	475	270	TL	E4-0227498
TR248		145R12LT	6	81/79S	7,5	4.00B	147	540	450	350	TL	
		165/70R13LT	6	88/86S	8,5	5J	170	562	560	350	TL	
		185/60R14	--	82H	8,5	5½J	189	578	475	280	TL	E4-0222004
		185/65R14	--	86H	8,5	5½J	189	596	530	280	TL	
		185/70R13	--	86T	8,5	5.50B	189	590	530	270	TL	E4-0214852
		185R14	--	91T	8,5	5J	184	652	615	260	TL	
		195/60R14	--	86H	8,5	6J	201	590	530	280	TL	E4-0217058
		195/70R14	--	91H	8,5	6J	201	630	600	300	TL	
		205/60R15	--	91H	8,5	6J	209	627	615	280	TL	E4-0217059
		205/65R15	--	94H	9,0	6J	209	647	645	290	TL	






TR218		155/70R13	--	75S	7,5	4.50B	156	550	390	280	TL		
TR286		165/60R14	--	75H	7,8	5J	170	544	387	250	TL		
		165/65R14	--	79T	7,5	5J	170	570	437	280	TL		
		175/60R14	--	79H	8,0	5J	177	560	437	280	TL		
TR266		145/70R12	--	69S	7,5	4.50B	150	509	330	280	TL		
		155R12LT	6	83/81S	7,5	4.50B	157	550	485	350	TL		
TR256		155/65R13	--	73S	8,5	4.50B	157	532	385	260	TL		E4-0213432
		165/65R13	--	77S	8,5	5.00B	170	544	412	260	TL		
		165/70R13	--	79T	7,5	5.00B	170	562	437	270	TL		
		165/70R14	--	81T	7,5	5J	170	588	462	270	TL		
		175/70R13	--	82T	8,0	5.00B	177	576	475	270	TL		E4-0227499
		195/60R14	--	86H	8,5	6J	201	590	530	280	TL		E4-0213431
TR216		155R13LT	6	85/83S	8,0	4½J	157	580	510	350	TL		
		155R13LT	8	90/88S	8,0	4½J	157	580	595	450	TL		
		205R14	--	98S	8,5	6J	208	686	750	260	TL		
		205R14C	8	105S	8,5	6J	208	686	925	375	TL		
TR999		145/70R12	--	69S	7,5	4.50B	150	509	330	280	TL		
		165/70R13	--	79T	7,5	5.00B	170	562	437	280	TL		
		175/60R13	--	76H	8,0	5.00B	177	540	400	280	TL		
		175/70R13	--	82T	8,0	5.00B	177	576	475	270	TL		
		145R12LT	--	81/79S	7,5	4.00B	147	540	450	350	TL		
		155R12LT	--	83/81S	7,5	4.50B	157	550	485	350	TL		
		155R13LT	8	90/88S	7,5	4½J	157	580	595	450	TL		
		175R13LT	8	97/95Q	8,3	5.00B	178	612	730	450	TL		
TR919		5.00R12	8	83/81P	7,5	3.50B	143	568	487	450	TL		






TR602		6.50R16	10	107/102Q	10,0	5.50F	185	750	975	560	TT		E4-0010500
TR604		7.00R15	10	109/105Q	10,0	5.50F	200	750	1040	560	TT		
TR624		7.00R16	12	116/110Q	11,5	5.50F	200	775	1220	670	TT		
		7.50R16	14	122/118Q	10,0	6.00G	215	805	1450	740	TT/TL		
TR643		ST175/80R13	6	91S	7,7	5.00B	177	610	615	350	TL		
		ST205/75R14	6	100S	8,1	5½J	203	664	800	350	TL		
		ST205/75R15	6	101S	8,0	5½J	203	689	825	350	TL		
		ST215/75R14	6	102S	8,5	6J	216	678	850	350	TL		
		ST225/75R15	8	113S	8,5	6J	223	719	1150	450	TL		
		ST235/80R16	10	123S	8,0	6½J	235	782	1550	550	TL		
TR645		185R14C	8	102/100S	10,5	5.5J	188	652	850	450	TL		E4-0011484
		195R14C	8	106/104S	11,0	6½J	198	668	935	450	TL		E4-0011480
		195/70R15C	8	104/102Q	10,5	6J	201	655	900	450	TL		E4-0014722
		205/75R14C	8	109/107S	11,0	6½J	203	664	1030	475	TL		E4-0013119
TR246		P235/75R15	--	105S	9,5	6½J	235	733	920	240	TL		E4-0213433
		P265/75R15	--	112S	10,0	7½J	267	779	1120	240	TL		
		30*9.50R15LT	6	104S	12,5	7½J	240	750	900	350	TL		
		31*10.5R15LT	6	109S	12,5	8½J	268	775	1030	350	TL		E4-0010137
		LT215/85R16	8	110/107S	12,0	6J	216	778	1060	450	TL		E4-0013120
		LT225/75R16	8	110/107S	12,0	6J	223	744	1060	450	TL		E4-0013121
		LT235/85R16	10	120/116S	12,0	6.5J	235	812	1380	550	TL		E4-0010135
		LT245/75R16	10	120/116S	13,0	7J	248	778	1380	550	TL		E4-0010136
LT265/75R16	10	123/120S	13,0	7½J	267	810	1120	350	TL		E4-0013122		
TR258		215/75R15	--	100S	10,0	6J	216	703	800	260	TL		E4-0231606
		225/75R15	--	102S	9,5	6J	223	719	850	260	TL		
		225/70R16	--	102T	9,5	6½J	228	722	825	270	TL		
		235/65R17	--	104T	10,0	7J	240	738	900	270	TL		
		255/65R16	--	109T	10,0	7½J	260	728	1030	270	TL		





TR249		145/70R12	--	69S	7,5	4.50B	150	509	330	280	TL		
		P215/75R15	--	100S	10,0	6J	216	703	800	270	TT/TL		E4-0217061
		215/80R16	--	103S	10,0	6J	216	750	800	250	TT/TL		E4-0217060






2. RADIAL TRUCK TYRE








TR618		8.25R16LT	14	126/122M	12,5	6.50H	235	855	1700/1500	670	TT	278	
TR619		9.00R20	14 16	141/139L 144/142L	16,5	7,0	259	1019	2575/2430 2800/2650	810/740 900	TT	306	
		10R22.5	14	141/139M	16,5	7,50	254	1019	2575/2430	790	TL	290	
TR656		8R19.5	12	124/122K	12,5	6,00	203	859	1600/1500	760	TL	231	E4-0016390
		8.5R17.5	12	121/120M	11,5	6,00	215	802	1450/1400	625	TL	242	E4-0011474
		255/70R22.5	16	140/137M	13,5	7,50	255	930	2500/2300	830	TL	287	E4-0014990
		275/70R22.5	16	148/145L	14,5	8,25	276	958	3150/2900	860	TL	311	
		LT235/85R16	10 14	120/116L 126/123L	10,0	6,50	235	806	1380/1260 1700/1550	550 750	TL	273	
TR657		9.00R20	14 16	141/139L 144/142L	16,5	7,0	259	1019	2575/2255 2800/2650	810/740 900	TT	306	
		10.00R20	16 18	146/143L 149/146L	17,5	7,5	278	1054	3000/2630 3250/3000	840/770 930	TT	328	
		11.00R20	16 18	150/147L 152/149L	18,5	8,0	293	1085	3270/2870 3550/3250	840/770 930	TT	346	
		12.00R20	18	154/151L	18,5	8,5	315	1125	3730/3270	840/770	TT	372	
		10R22.5	14	141/139M	20,5	7,50	254	1019	2575/2430	790	TL	290	
		11R22.5	14 16	143/139M 148/144M	21,0	8,25	279	1054	2725/2430 3000/2725	740/660 830/760	TL	318	
		11R24.5	14 16	146/143L 142/146L	22,0	8,25	279	1104	3000/2725 3250/3000	720 830	TL	318	
		12R22.5	14 16	150/146L 152/148L	22,0	9,00	300	1085	3050/3000 3550/3150	790 890	TL	342	
		13R22.5	14 16 18	149/146L 154/150L 156/150L	22,0	9,75	320	1146	3250/3000 3750/3350 4000/3350	725 850 875	TL	360	
		285/75R24.5	14	144/141L	22,0	8,25	283	1056	2800/2575	760	TL	318	

		295/75R22.5	14	144/141L	22,0	9,00	298	1032	2800/2575	760	TL	335	
TR660		8.25R20	12 14	133/131K 136/134L	13,0	6,50	236	974	2060/1950 2240/2120	720 830	TT	278	E4-0016391
		8R22.5	10 12 14	124/122M 128/126M 130/128M	13,0	6,00	203	935	1600/1500 1800/1700 1900/1800	660 760 830	TL	231	E4-0016267
		9R22.5	14	136/134L	13,5	6,75	229	974	2240/2120	830	TL	261	E4-0014987
TR665		10R22.5	14	141/139M	14,5	7,50	254	1019	2575/2430	790	TL	290	E4-0014989
		10.00R20	16 18	146/143L 149/146L	17,5	7,5	278	1054	3000/2630 3250/3000	840/770 930	TT	328	
		315/80R22.5	18 20	154/151M 156/150L	15,0	9,00	312	1076	3750/3450 4000/3350	830 850	TL	351	E4-0011470 E4-0011471
		11R22.5	14 16	144/142M 146/143M	15,0	8,25	279	1054	2800/2650 3000/2725	720 830	TL	318	
TR696A		11R24.5	14 16	146/143M 149/146M	15,0	8,25	279	1104	3000/2725 3250/3000	720 830	TL	318	
		295/75R22.5	14	144/141L	15,0	9,00	298	1014	2800/2575	760	TL	335	
		285/75R24.5	14	144/141M	15,0	8,25	283	1050	2800/2575	760	TL	318	
		7.50R20	14	130/128K	13,0	6,0	215	935	1900/1800	830	TT	254	
TR666		10.00R20	16 18	146/143L 149/146K	15,0	7,5	278	1052	3000/2630 3260/2860	840/770 930/860	TT	328	E4-0010140
		11R22.5	14 16	143/139M 148/144M	15,0	8,25	279	1054	2725/2430 3000/2725	740/660 830/760	TL	318	E4-0010143
		12R22.5	16	152/148L	15,0	9,00	300	1085	3550/3150	89	TL	342	E4-0011473
		275/80R22.5	16	147/144M	14,0	8,25	276	1012	3075/2800	830	TL	311	E4-0011472
		295/75R22.5	14 16	144/141M 146/143L	15,0	9,00	298	1014	2800/2575 3000/2725	760 830	TL	335	
		315/80R22.5	18 20	154/151M 156/150L	15,0	9,00	312	1076	3750/3450 4000/3350	830 850	TL	351	E4-0011470 E4-0011471
		9.00R20	14 16	141/139L 144/142K	16,0	7,0	259	1023	2575/2255 2800/2650	810/740 910	TT	306	E4-0010138
TR667		10.00R20	16 18	146/143L 149/146K	17,0	7,5	278	1054	3000/2630 3250/3000	840/770 930	TT	328	E4-0010141
		11R22.5	14 16	143/139M 148/144M	21,0	8,25	279	1056	2740/2430 3000/2725	725/660 830/760	TL	318	E4-0010142
		275/80R22.5	16	147/144M	16,0	8,25	276	1012	3075/2800	830	TL	311	E4-0011472
		8.25R20	12 14	133/131K 136/134K	14,0	6,50	236	974	2060/1950 2240/2120	720 830	TT	278	E4-0016392
		9.00R20	14 16	141/139L 144/142L	15,5	7,0	259	1019	2575/2255 2800/2650	790 900	TT	306	E4-0010139







TR668		10.00R20	16 18	146/143L 149/146L	16,5	7,5	278	1054	3000/2725 3250/3000	830 930	TT	328	E4-0016264
		11.00R20	16 18	150/147L 152/149L	17,0	8,0	293	1085	3350/3075 3575/3250	830 930	TT	346	E4-0016265
		12.00R20	18	154/151L	17,5	8,5	315	1125	3750/3450	840/770	TT	372	E4-0010504
		11R22.5	14 16	143/139M 148/144M	16,5	8,25	279	1054	2725/2430 3000/2725	740/660 830/760	TL	318	E4-0010501
		11R24.5	14 16	146/143L 142/146L	16,0	8,25	279	1104	3000/2725 3250/3000	720 830	TL	318	
		13R22.5	14 16 18	149/146L 154/150L 156/150L	17,0	9,75	320	1146	3250/3000 3750/3350 4000/3350	725 850 875	TL	360	
		315/80R22.5	18 20	154/151M 156/150L	17,5	9,00	312	1076	3750/3450 4000/3350	830 850	TL	351	E4-0011470 E4-0011471
TR669		10.00R20	16 18	146/143K 149/146K	16,5	7,5	278	1054	3000/2630 3250/3000	840/770 930	TT	328	
		11.00R20	16 18	150/147K 152/149K	17,5	8,0	293	1085	3270/2870 3550/3250	840/770 930	TT	346	
		12.00R20	18	154/151K	18,5	8,5	315	1125	3730/3270	840/770	TT	372	
		13R22.5	14 16 18	149/146L 154/150L 156/150L	18,0	9,75	320	1146	3250/3000 3750/3350 4000/3350	725 850 875	TL	360	
TR676		11R22.5	14	144/142M	11,0	8,25	279	1054	2800/2650	720	TL	318	
		11R24.5	14	146/143M	11,0	8,25	279	1104	3000/2725	720	TL	318	
		295/75R22.5	14	144/141M	11,0	9,00	298	1014	2800/2575	760	TL	335	
		285/75R24.5	14	144/141M	11,0	8,25	283	1050	2800/2575	760	TL	318	
TR677		10.00R20	16	146/143L	10,5	7,5	278	1054	3000/2630	840/770	TT	328	
		11.00R20	16	150/147L	11,5	8,0	293	1085	3270/2870	840/770	TT	346	
		11R22.5	14 16	143/139M 148/144M	10,5	8,25	279	1054	2725/2430 3000/2725	740/660 830/760	TL	318	
		12R22.5	14 16	150/146L 152/148L	11,5	9,00	300	1085	3050/3000 3550/3150	790 890	TL	342	
TR678		425/65R22.5	20	164L/162K	17,0	12,25	422	1124	4750/5000	760/830	TL	--	E4-0016871
		215/75R17.5	14 16	125/122M 127/124L	14,0	6,00	211	767	1650/1500 1750/1600	760 830	TL	237	E4-0016387





TR685		235/75R17.5	14 16	129/126M 132/129L	14,0	6,75	233	797	1850/1700 2000/1850	760 830	TL	262	E4-0016388
		225/70R19.5	12 14	125/123M 128/126L	14,5	6,75	226	811	1650/1550 1800/1700	660 760	TL	254	E4-0016389
		245/70R19.5	12 14 16	129/127M 133/131L 135/133L	14,5	7,50	248	839	1850/1750 2060/1950 2180/2060	660 760 830	TL	279	
TR686		11R22.5	14 16	143/139M 148/144M	15,0	8,25	279	1054	2725/2430 3000/2725	740/660 830/760	TL	318	E4-0010502
		12R22.5	16	152/148M	15,0	9,00	300	1085	3550/3150	890	TL	342	E4-0011473
		11R24.5	14 16	145/143M 148/144M	15,0	8,25	279	1104	2900/2725 3150/2800	830/760 740/660	TL	318	E4-0011475
		295/80R22.5	16	150/147M	16,0	9,00	298	1044	3375/3075	830	TL	335	E4-0011469
		295/75R22.5	14 16	144/141M 146/143L	15,0	9,00	298	1014	2800/2575 3000/2725	760 830	TL	335	
		315/80R22.5	18 20	154/151M 156/150L	15,0	9,00	312	1076	3750/3450 4000/3350	830 850	TL	351	E4-0011470 E4-0011471
TR688		9.00R20	14 16	141/139L 144/142K	16,0	7,00	259	1019	2575/2255 2800/2650	810/740 900	TT	306	E4-0011477
		10R22.5	14	141/139M	18,0	7,50	254	1019	2575/2430	790	TL	290	
		11R22.5	14 16	143/139M 148/144M	18,0	8,25	279	1054	2725/2430 3000/2725	740/660 830/760	TL	318	E4-0010503
		12R22.5	16	152/148L	20,0	9,00	300	1085	3550/3150	890	TL	342	E4-0011473
		11R24.5	14 16	145/143M 148/144M	18,0	8,25	279	1104	2900/2725 3150/2800	830/760 740/660	TL	318	E4-0011475
		295/80R22.5	16	150/147M	18,0	9,00	298	1044	3375/3075	830	TL	335	E4-0011469
		315/80R22.5	18 20	154/151M 156/150L	20,0	9,00	312	1076	3750/3450 4000/3350	830 850	TL	351	E4-0011470 E4-0011471
		295/75R22.5	14 16	144/141M 146/143L	20,0	9,00	298	1014	2800/2575 3000/2725	760 830	TL	335	
TR689A		215/75R17.5	14 16	125/122M 127/124L	16,0	6,00	211	767	1650/1500 1750/1600	760 830	TL	237	
		235/75R17.5	14 16	129/126M 132/129L	16,0	6,75	233	797	1850/1700 2000/1850	760 830	TL	262	
		225/70R19.5	12 14	125/123M 128/126L	17,0	6,75	226	811	1650/1550 1800/1700	660 760	TL	254	
		245/70R19.5	12 14 16	129/127M 133/131L 135/133L	17,5	7,50	248	839	1850/1750 2060/1950 2180/2060	660 760 830	TL	279	
		9.00R20	14 16	141/139L 144/142L	15,0	7,0	259	1019	2575/2255 2800/2650	790 900	TT	306	

TR695		10.00R20	16 18	146/143L 149/146L	15,0	7,5	278	1054	3000/2725 3250/3000	830 930	TT	328	
		11.00R20	16 18	150/147L 152/149L	16,0	8,0	293	1085	3350/3075 3575/3250	830 930	TT	346	
		12.00R20	18	154/151L	17,0	8,5	315	1125	3750/3450	840/770	TT	372	
		10R22.5	14	141/139	15,0	7,50	254	1019	2575/2430	790	TL	290	
		11R22.5	14 16	143/139L 148/144L	15,0	8,25	279	1054	2725/2430 3000/2725	740/660 830/760	TL	318	
		12R22.5	14 16	150/146L 152/148L	16,0	9,00	300	1085	3050/3000 3550/3150	790 890	TL	342	
		13R22.5	14 16 18	149/146L 154/150L 156/150L	17,0	9,75	320	1146	3250/3000 3750/3350 4000/3350	725 850 875	TL	360	
TR697		385/65R22.5	18 20	158L 160L/158J	17,0	11,75	389	1072	4500/4250	830/760	TL	--	E4-0014988 E4-0016266
TR618-I		9.00R20	14 16	141/139L 144/142L	13,5	7,0	259	1019	2575/2255 2800/2650	790 900	TT	306	
		10.00R20	16 18	146/143L 149/146L	14,5	7,5	278	1054	3000/2725 3250/3000	830 930	TT	328	
		11.00R20	16 18	150/147L 152/149L	15,0	8,0	293	1085	3350/3075 3575/3250	830 930	TT	346	
		12.00R20	18	154/151L	15,5	8,5	315	1125	3750/3450	840/770	TT	372	
TR628		9.00R20	14 16	141/139L 144/142L	15,0	7,0	259	1019	2575/2255 2800/2650	790 900	TT	306	
		10.00R20	16 18	146/143L 149/146L	15,5	7,5	278	1054	3000/2725 3250/3000	830 930	TT	328	
		11.00R20	16 18	150/147L 152/149L	15,5	8,0	293	1085	3350/3075 3575/3250	830 930	TT	346	
		12.00R20	18	154/151L	15,5	8,5	315	1125	3750/3450	840/770	TT	372	
		12.00R24	18	158/155K	15,5	8,5	315	1226	4250/3875	830	TT	372	
TR629		LT235/85R16	10 14	120/116L 126/123L	14,0	6,50	235	806	1380/1260 1700/1550	550 750	TL	273	






TR638		7.50R20	14	130/128K	12,0	6,0	215	935	1900/1800	830	TT	236	
		8.25R20	12 14	133/131K 136/134L	12,0	6,50	236	974	2060/1950 2240/2120	720 830	TT	278	
TR675		245/70R19.5	12 14 16	129/127M 133/131L 135/133L	12,5	7,50	248	839	1850/1750 2060/1950 2180/2060	660 760 830	TL	279	
		265/70R19.5	14	140/138L	13,0	7,50	269	873	2500/2360	850	TL	295	
TR679		11.00R22	16	152/149K	15,5	8,0	293	1135	3550/3250	830	TT	346	
TR692		385/65R22.5	18 20	158L 160J	15,5	11,75	389	1072	4250 4500	830 900	TL		
TRY66		335/80R20 MPT		L	17,5	11,0	334	1037	2575	500	TT/TL		
TRY88		12.5R20		L	21,5	9,0	355	1120	2400/2200	450/350	TT/TL		
TR698		9.00R20	14 16	141/139L 144/142L	16,5	7,0	259	1019	2575/2255 2800/2650	790 900	TT	306	
		10.00R20	16 18	146/143L 149/146L	17,5	7,5	278	1054	3000/2725 3250/3000	830 930	TT	328	
		11.00R20	16 18	150/147L 152/149L	18,0	8,0	293	1085	3350/3075 3575/3250	830 930	TT	346	







3. RADIAL OTR TYRE







TM518		23.5R25 (E-2/L-2)	☆☆ ☆	185/201(50/10km) 176/195(50/10km)	31,5	19.5/2.5	597	1673	14500 12150	650 500	TL		
TL528		23.5R25 (E-2/L-2)	☆☆ ☆	185/201(50/10km) 176/195(50/10km)	42,0	19.5/2.5	597	1673	14500 12150	650 500	TL		
TB515		17.5R25 (E-2/L-2)	☆☆ ☆	167/182(50/10km) 157/176(50/10km)	28,0	14.00/1.5	445	1399	8500 7100	650 500	TL		
		20.5R25 (G-2/L-2)	☆☆ ☆	177/193(50/10km) 168/186(50/10km)	31,0	17.00/2.0	521	1548	11500 9500	650 500	TL		
TB516		17.5R25 (E-3/L-3)	☆☆ ☆	167/182(50/10km) 157/176(50/10km)	28,0	14.00/1.5	445	1399	8500 7100	650 500	TL		
		20.5R25 (E-3/L-3)	☆☆ ☆	177/193(50/10km) 168/186(50/10km)	31,0	17.00/2.0	521	1548	11500 9500	650 500	TL		
		23.5R25 (E-3/L-3)	☆☆ ☆	185/201(50/10km) 176/195(50/10km)	34,0	19.5/2.5	597	1673	14500 12150	650 500	TL		
		26.5R25 (E-3/L-3)	☆☆ ☆	193/209(50/10km) 184/202(50/10km)	37,0	22.00/3.0	673	1798	18500 15000	650 500	TL		
		29.5R25 (E-3/L-3)	☆☆ ☆	200/216(50/10km) 191/208(50/10km)	40,0	25.00/3.5	749	1921	22400 18000	650 500	TL		
		29.5R29 (E-3/L-3)	☆☆ ☆	202/218(50/10km) 193/211(50/10km)	40,0	25.00/3.5	749	2023	23600 19500	650 500	TL		
TB526S		18.00R33 (E-4/L-4)	☆☆ ☆	191/209(50/10km) 180/199(50/10km)	54,0	13.00/2.5	498	1877	18500 13600	825 550	TL		
		24.00R35 (E-4/L-4)	☆☆ ☆	209/227(50/10km) 199/217(50/10km)	68,0	17.00/3.5	718	2175	30750 23000	825 550	TL		
TB516S		14.00R24 (E-4/L-4)	☆ ☆☆ ☆☆☆	157/153(50/40km) 168/186(50/10km) 169/188(50/10km)	38,0	10.00/1.5	375	1418	9000 9500 10000	700 800 950	TL		
		14.00R25 (E-4/L-4)	☆ ☆☆ ☆☆☆	157(50km) 168/186(50/10km) 169/188(50/10km)	38,0	10.00/1.5	375	1418	9000 9500 10000	700 800 950	TL		
		18.00R25 (E-4/L-4)	☆☆ ☆	185/204(50/10km) 176/194(50/10km)	48,0	13.00/2.5	498	1673	16000 11800	825 550	TL		







TL558S		16.00R25 (E-4/L-4)	☆☆ ☆	177/195(50/10km) 167/184(50/10km)	54,0	11.25/2.0	432	1548	12150 9000	825 550	TL		
TB536		14.00R24 (E-4/L-4)	☆ ☆☆ ☆☆☆	157/153(50/40km) 168/186(50/10km) 169/188(50/10km)	38,0	10.00/1.5	375	1418	9000 9500 10000	700 800 950	TL		
		14.00R25 (E-4/L-4)	☆ ☆☆ ☆☆☆	157(50km) 168/186(50/10km) 169/188(50/10km)	38,0	10.00/1.5	375	1418	9000 9500 10000	700 800 950	TL		
TSMS+		18.00R25 (L-5S)	☆☆ ☆	185/204(50/10km) 176/194(50/10km)	87,0	13.00/2.5	498	1673	16000 11800	825 550	TL		
		26.5R25 (L-5S)	☆☆ ☆	193/209(50/10km) 184/202(50/10km)	97,0	22.00/3.0	673	1798	18500 15000	650 500	TL		
TL538S+		20.5R25 (L-5)	☆☆ ☆	193(10km) 186(10km)	72,0	17.00/2.0	521	1548	11500 9500	650 500	TL		
		23.5R25 (L-5)	☆☆ ☆	201(10km) 195(10km)	78,0	19.5/2.5	597	1673	14500 12150	650 500	TL		
		26.5R25 (L-5)	☆☆ ☆	209(10km) 202(10km)	89,0	22.00/3.0	673	1798	18500 15000	650 500	TL		
		29.5R25 (L-5)	☆☆ ☆	216(10km) 208(10km)	97,0	25.00/3.5	749	1921	22400 18000	650 500	TL		




TRIANGLE TYRE

Pattern No.	Pattern Design	Size	PR	Tread Depth (mm)	Rim	Section Width (mm)	Overall Diameter (mm)	Max. Load (Kg)	Relative Pressure (Kpa)	Speed (km/h)	Tube	ECE
1. NYLON TRUCK TYRE												
ST988		12.00-24	18	25,0	8,5	315	1225	3680/4195	740/810		TT	
		12.00-20	18	22,5	8,5	315	1145	3270/3730	710/810		TT	
		11.00-20	18	21,0	8,0	293	1085	3100/3510	840/910		TT	
TB818 (TB814)		13.00-20	16	20,0	9,0	340	1200	3355/3825	600/700		TT	
TL558 (TL504)		14.00-20	18	20,0	10,0	375	1265	3970/4525	600/670		TT	
		10.00-20	16	22,0	7,5	278	1055	2630/3000	740/810		TT	
		9.00-20	14	20,0	7,0	259	1018	2255/2575	700/770		TT	
TL532		12.00-20	18 16	16,5	8,5	315	1125	3270/3730 3080/3520	740/810 670/740		TT	
TL398 (TL316)		12.00-20	18	16,0	8,5	315	1125	3270/3730	740/810	154/149J	TT	E4-0011493
		11.00-20	18 16	16,0	8,0	293	1085	3100/3510 2870/3270	840/910 740/810	149/145J	TT	E4-0011492
		10.00-20	16	15,0	7,5	278	1055	2630/3000	740/810	146/142J	TT	E4-0011491
		9.00-20	16 14	15,0	7,0	259	1018	2460/2810 2255/2575	810/870 700/770	141/137J	TT	E4-0011490


		8.25-20	14 12	14,5	6,5	235	974	1940/2205 1770/2015	740/810 630/700		TT	
TL398-T (TL316-T)		12.00-20	18	16,0	8,5	315	1125	3270/3730	740/810		TT	
		11.00-20	18 16	16,0	8,0	293	1085	3100/3510 2870/3270	840/910 740/810		TT	
		10.00-20	16	15,0	7,5	278	1055	2630/3000	740/810		TT	
		9.00-20	16 14	15,0	7,0	259	1018	2460/2810 2255/2575	810/870 700/770		TT	
TL368 (TL314)		10.00-20	16	15,0	7,5	278	1055	2630/3000	740/810		TT	
		9.00-20	16 14	15,0	7,0	259	1018	2460/2810 2255/2575	810/870 700/770		TT	
		7.50-20	14 12	14,0	6,0	215	935	1655/1885 1555/1775	740/810 670/740		TT	
		7.00-20	14 12	13,0	5,5	200	904	1470/1680 1385/1580	740/810 670/740		TT	
TL358 (TL326)		10.00-20	16	15,0	7,5	278	1055	2630/3000	740/810		TT	
		9.00-20	16 14	15,0	7,0	259	1018	2460/2810 2255/2575	810/870 700/770		TT	
TL339		12.00-20	18	16,0	8,5	315	1125	3270/3730	740/810		TT	
		11.00-20	18 16	16,0	8,0	293	1085	3100/3510 2870/3270	840/910 740/810		TT	
		10.00-20	16	15,0	7,5	278	1055	2630/3000	740/810		TT	
		9.00-20	16 14	15,0	7,0	259	1018	2460/2810 2255/2575	810/870 700/770		TT	
TL333		12.00-20	18	16,0	8,5	315	1125	3270/3730	740/810		TT	
		11.00-20	18 16	16,0	8,0	293	1085	3100/3510 2870/3270	840/910 740/810		TT	
		10.00-20	16	15,0	7,5	278	1055	2630/3000	740/810		TT	
		9.00-20	16 14	15,0	7,0	259	1018	2460/2810 2255/2575	810/870 700/770		TT	





		8.25-20	14 12	14,5	6,5	235	974	1940/2205 1770/2015	740/810 630/700		TT	
TL332		12.00-20	18	16,0	8,5	315	1125	3270/3730	740/810		TT	
		11.00-20	18 16	16,0	8,0	293	1085	3100/3510 2870/3270	840/910 740/810		TT	
		10.00-20	16	15,0	7,5	278	1055	2630/3000	740/810		TT	
		9.00-20	16 14	15,0	7,0	259	1018	2460/2810 2255/2575	810/870 700/770		TT	
TL318		12.00-20	18	16,0	8,5	315	1125	3270/3730	740/810	154/149J	TT	E4-0011493
		11.00-20	18 16	16,0	8,0	293	1085	3100/3510 2870/3270	840/910 740/810	149/145J	TT	E4-0011492
		10.00-20	16	15,0	7,5	278	1055	2630/3000	740/810	146/142J	TT	E4-0011491
		9.00-20	16 14	15,0	7,0	259	1018	2460/2810 2255/2575	810/870 700/770	141/137J	TT	E4-0011490
TL315		12.00-20	18	16,0	8,5	315	1125	3270/3730	740/810		TT	
		11.00-20	18 16	16,0	8,0	293	1085	3100/3510 2870/3270	840/910 740/810		TT	
		10.00-20	16	15,0	7,5	278	1055	2630/3000	740/810		TT	
		9.00-20	16 14	15,0	7,0	259	1018	2460/2810 2255/2575	810/870 700/770		TT	
TL315-T		12.00-20	18	16,0	8,5	315	1125	3270/3730	740/810		TT	
		11.00-20	18 16	16,0	8,0	293	1085	3100/3510 2870/3270	840/910 740/810		TT	
		10.00-20	16	15,0	7,5	278	1055	2630/3000	740/810		TT	
		9.00-20	16 14	15,0	7,0	259	1018	2460/2810 2255/2575	810/870 700/770		TT	
TL312		12.00-24	20 18	16	8,5	315	1225	3890/4430 3680/4195	810/870 740/810	158/153G	TT	E4-0011494
		12.00-20	18	16,0	8,5	315	1125	3270/3730	740/810	154/149J	TT	E4-0011493
		11.00-20	18 16	16,0	8,0	293	1085	3100/3510 2870/3270	840/910 740/810	149/145J	TT	E4-0011492
		10.00-20	16	15,0	7,5	278	1055	2630/3000	740/810	146/142J	TT	E4-0011491
		9.00-20	16 14	15,0	7,0	259	1018	2460/2810 2255/2575	810/870 700/770	141/137J	TT	E4-0011490





TR166 (TR124)		12.00-20	18	15,0	8,5	315	1125	3270/3730	740/810	154/149J	TT	E4-0011493
		11.00-20	18 16	15,0	8,0	293	1085	3100/3510 2870/3270	840/910 740/810	149/145J	TT	E4-0011492
		10.00-20	14 12	11,0	7,5	278 293	1055	2430/2800 2180/2500	620/690 520/590		TT	
		11-22.5	12	11,0	8,25	280	1055	2180/2500	520/620		TL	
TR135		12.00-20	18	16,0	8,5	315	1125	3270/3730	740/810		TT	
		11.00-20	18	16,0	8,0	293	1085	3100/3510	840/910		TT	
		10.00-20	16	15,0	7,5	278	1055	2630/3000	740/810		TT	
		9.00-20	16	15,0	7,0	259	1018	2460/2810	810/870		TT	
TR133		12.00-20	18	16,0	8,5	315	1125	3270/3730	740/810		TT	
		11.00-20	18 16	16,0	8,0	293	1085	3100/3510 2870/3270	840/910 740/810		TT	
		10.00-20	16	15,0	7,5	278	1055	2630/3000	740/810		TT	
		9.00-20	16 14	15,0	7,0	259	1018	2460/2810 2255/2575	810/870 700/770		TT	
TR123		12.00-20	18	17,0	8,5	315	1125	3270/3730	740/810		TT	
		11.00-20	18 16	17,0	8,0	293	1085	3100/3510 2870/3270	840/910 740/810		TT	
		10.00-20	16	17,0	7,5	278	1055	2630/3000	740/810		TT	
		9.00-20	16 14	16,5	7,0	259	1018	2460/2810 2255/2575	810/870 700/770		TT	
TR116		7.00-20	12	12,0	5,5	200	904	1385/1580	670/740		TT	
TR103		10.00-20	16	15,0	7,5	278	1055	2630/3000	740/810	146/142J	TT	E4-0011491





TR105		9.00-20	16 14	14,0	7,0	259	1018	2460/2810 2255/2575	810/870 700/770	141/137J	TT	E4-0011490
TM736 (TM714)		12.00-24	18	15,0	8,5	315	1225	3680/4195	740/810	158/153G	TT	E4-0011494
		12.00-20	18	15,5	8,5	315	1125	3270/3730	740/810	154/149J	TT	E4-0011493
		11.00-20	18 16	15,0	8,0	293	1085	3100/3510 2870/3270	840/910 740/810		TT	
		10.00-20	16	15,0	7,5	278	1055	2630/3000	740/810		TT	
		9.00-20	16 14	15,0	7,0	259	1018	2460/2810 2255/2575	810/870 700/770		TT	
TM108		10.00-20	16	15,0	7,5	278	1055	2630/3000	740/810		TT	







2. NYLON LIGHT TRUCK TYRE





TL368 (TL314)		9.00-16	16 14	15,0	6.50H	255	890	1890/2150 1720/1955	740 630		TT	
		8.25-16	16 14	14,0	6.50H	235	855	1650/1880 1500/1705	740 630		TT	
		7.50-16	16 14	12,0	6.00G	215	805	1520/1700 1375/1555	850 740	123/119K	TT	E4-0011489
		7.00-16	16 14	11,0	5.50F	200	775	1345/1500 1195/1340	850 740		TT	
		6.50-16	14 12 10	10,0	5.50F	185	750	1070/1215 965/1095 860/975	740 630 530	108/107K	TT	E4-0011486
		6.00-16	10	9,0	4.50E	170	730	755/860	530		TT	
		6.00-15	8	9,0	4.50E	170	705	630/720	420		TT	
		6.50-14	10 8	10,0	4½J	180	705	800/905 690/785	430 420		TT	
		6.00-14	8	10,0	4½J	170	680	600/685	420	92/91L	TT	E4-0011487






TL333		8.25-16	16 14	12,5	6.50H	235	855	1650/1880 1500/1705	740 630		TT	
		7.50-16	16 14	12,0	6.00G	215	805	1520/1700 1375/1555	850 740		TT	
		7.00-16	16 14	11,0	5.50F	200	775	1345/1500 1195/1340	850 740		TT	
		6.50-16	14 12 10	10,0	5.50F	185	750	1070/1215 965/1095 860/975	740 630 530		TT	
TL328		8.25-16	16 14	12,5	6.50H	235	855	1650/1880 1500/1705	740 630		TT	
		7.50-16	16 14	12,0	6.00G	215	805	1520/1700 1375/1555	850 740		TT	
		7.00-16	16 14	11,0	5.50F	200	775	1345/1500 1195/1340	850 740		TT	
		6.50-16	14 12 10	10,0	5.50F	185	750	1070/1215 965/1095 860/975	740 630 530		TT	
TL328-T		8.25-16	16 14	12,5	6.50H	235	855	1650/1880 1500/1705	740 630		TT	
		7.50-16	16 14	12,0	6.00G	215	805	1520/1700 1375/1555	850 740		TT	
		7.00-16	16 14 12	11,0	5.50F	200	775	1345/1500 1195/1340 1075/1220	850 740 630		TT	
		6.50-16	14 12 10	10,0	5.50F	185	750	1070/1215 965/1095 860/975	740 630 530		TT	
TL318		7.00-16	16 14 12	14,0	5.50F	200	775	1345/1500 1195/1340 1075/1220	850 740 630		TT	





TR120		7.50-16	10	11,0	6.00G	215	805	1105/1260	530		TL	
TR116		6.50-15	10 8	9,0	4.50E	180	730	830/940 720/820	530 420		TT	
		6.00-15	8	8,5	4.50E	170	705	630/720	420		TT	
TR112		7.50-16	16 14	11,0	6.00G	215	805	1520/1700 1375/1555	850 740	123/119K	TT	E4-0011489
		7.00-16	16 14	11,0	5.50F	200	775	1345/1500 1195/1340	850 740		TT	
		6.50-16	12 10	10,0	5.50F	185	750	965/1095 860/975	630 530	108/107K	TT	E4-0011486
		7.50-15	12 10 8	12,0	6.00G	215	780	1210/1370 1060/1205 930/1055	630 530 420	119/115K	TT	E4-0011488
		7.00-15	10 8	11,0	5.50F	200	750	915/1040 800/910	530 420		TT	
		6.50-14	8	10,0	4½J	180	705	690/785	420		TT	
		6.00-14	8	10,0	4½J	170	680	600/685	420	92/91L	TT	E4-0011487
		7-14.5	8	7,0	6,00	185	677	850	490		TL	
		8-14.5	8	6,0	6,00	203	707	1030	490		TL	
TR110		6.50-16	14 12 10	10,0	5.50F	185	750	1070/1215 965/1095 860/975	740 630 530	108/107K	TT	E4-0011486
		8.25-16	16 14	12,0	6.50H	235	855	1650/1880 1500/1705	740 630		TT	

TR106		7.50-16	16 14	11,0	6.00G	215	805	1520/1700 1375/1555	850 740		TT	
		7.00-16	16 14 12	11,0	5.50F	200	775	1345/1500 1195/1340 1075/1220	850 740 630		TT	
		6.50-16	14 12 10	10,0	5.50F	185	750	1070/1215 965/1095 860/975	740 630 530		TT	
TR106-T		8.25-16	16 14	12,0	6.50H	235	855	1650/1880 1500/1705	740 630		TT	
		7.50-16	16 14	11,0	6.00G	215	805	1520/1700 1375/1555	850 740		TT	
		7.00-16	16 14 12	11,0	5.50F	200	775	1345/1500 1195/1340 1075/1220	850 740 630		TT	
		6.50-16	14 12 10	10,0	5.50F	185	750	1070/1215 965/1095 860/975	740 630 530		TT	
TM736 (TM714)		7.50-16	14 12 10 8	11,0	6.00G	215	805	1375/1555 1240/1405 1105/1260 970/1105	740 630 530 420		TT	
TM726 (TM724)		7.50-16	14 12 10 8	11,0	6.00G	215	805	1375/1555 1240/1405 1105/1260 970/1105	740 630 530 420		TT	



TM718		7.50-16	14 12 10 8	14,0	6.00G	215	805	1375/1555 1240/1405 1105/1260 970/1105	740 630 530 420	112/110L	TT	E4-0011957
TM716		6.00-16	10 8 6	13,0	4.50E	170	730	755/860 665/755 560/635	530 420 320		TT	
TR126		5.00-12	8	8,5	3.50B	143	568	465/485	400		TT	
		4.50-12	8	8,5	3.00B	127	545	395/415	400		TT	
TR122		5.00-12	8	8,5	3.50B	143	568	465/485	400		TT	
		4.50-12	8	8,5	3.00B	127	545	395/415	400		TT	
TR112		5.00-12	8	8,5	3.50B	143	568	465/485	400		TT	
		4.50-12	8	8,5	3.00B	127	545	395/415	400		TT	
		5.00-10	8	8,5	3.50B	143	517	410/430	400		TT	
3. NYLON OTR/INDUSTRIAL TYRE												
TB812		24-21	14	18	18.0/1.5	610	1372	4480	250	65	TT	
		23.1-26	12	28	20,00	587	1581	3250	170	8	TL	


		15.5/60-18	16	13	13.0/1.5	428	940	2950	350	8	TT	
TR128		66X44.00-25	16	10	36.0TH	1118	1702	9750	280	8	TL	
TL612		29.5-29	28	43	25.00/3.5	750	1975	10050/19400	320/460	65/8	TL	
		29.5-25	22	43	25.00/3.5	750	1875	8070/15560	250/350	65/8	TL	
		26.5-25	20	54	22.00/3.0	675	1750	8550/16210	390/530	65/8	TL	
		23.5-25	20 16	36/31.5	19.50/2.5	595	1615	5530/10630 5170/9470	280/390 250/320	65/8	TT/TL	
		20.5-25	20 16	32/28.5	17.00/2.0	520	1490	7730/9070 4280/7730	350/460 280/350	65/8	TT/TL	
		17.5-25	16 12	30/25.5	14.00/1.5	445	1350	3600/6650 3120/5980	320/420 250/350	65/8	TT/TL	
		18.00-25	32 28	32	13.00/2.5	495	1615	7220/9510 6690/8810	560 490	65/15	TT/TL	
		16.00-25	28	30	11.25/2.0	430	1490	5590/7360	560	65/15	TT/TL	
		15.5-25	12	25	12.00/1.3	395	1275	2580/5300	250/390	65/8	TL	
		14.00-24	28 24	30	10,0	375	1370	5040/6640 4580/6030	740 630	65/15	TT	
10.00-20	12	22	7,5	278	1073	3050/4010	600	15/8	TT			
TL518		21.00-35	32	45	15.00/3.0	575	2005	10210/13450	490	65/15	TL	

TL510		24.00-35	42	45	17.00/3.5	650	2130	13670/18010	530	65/15	TL	
TL508		23.5-25	16	30,5	19.50/2.5	595	1615	5170/9470	250/320	65/8	TL	
		20.5-25	16 12	28,5	17.00/2.0	520	1490	4280/7730 3620/6780	280/350 210/280	65/8	TL	
		17.5-25	16 12	25	14.00/1.5	445	1350	3600/6650 3120/5980	320/420 250/350	65/8	TL	
		15.5-25	12	25	12.00/1.3	395	1275	2580/5300	250/390	65/8	TL	
		14.00-24	12	25	8,0	362	1348	3080/6580	320/460	65/8	TL	
		13.00-24	14 12	24,5	8,0	333	1287	2910/3840 2730/3600	390 350	65/15	TL	
		16/70-24	10	26	13/1.0	410	1175	2670/4740	250/320	65/8	TL	
16/70-20	10	26	13/1.0	410	1075	2310/4190	250/320	65/8	TL			
TR136 (TR134)		27.25-21	16	16	19.50/1.5	683	1509	5825	250	65	TL	
		21.00-25	16	14	15.00/3.0	575	1750	5240/12210	210/350	65/8	TL	
TR138		1300X530-533	12	16	17.5/2.0	560	1300	5650	400	8	TT	
		14.00-20	18	9	10,0	375	1265	5600/7340	670	65/8	TT	
		9.00-16	8	6,5	6.50H	255	890	800	180	65	TT	
		9.00-15	8	6,5	5.50F	235	840	775	180	65	TT	
TL368 (TL314)		4.00-8	6 4	7	3.00D	112	415	645/775 300/490	725 500	35/15 50/10	TT	






TL312		7.00-9	10	10	5.00S	190	590	1975/2365	850	35/15	TT	
		6.00-9	10	10	4.00E	160	540	1495/1795	850	35/15	TT	
		5.00-8	8	8	3.50D	137	470	1010/1210	800	35/15	TT	
TR156 (TR114)		10.00-15	16	14,3	7,5	280	935	3100/4940	810	50/10	TT	
		9.00-15	14	12,7	7,0	259	911	1873	690		TT	
		8.25-15	16	12	6,5	235	840	3980/4770	900	35/15	TT	
		7.50-15	14	11,4	6.00G	215	780	3030/3630	775	35/15	TT	
TR176 (TR144)		4.00-8	6	7	3.00D	112	415	645/775	725	35/15	TT	
TM726		8.25-15	18 16 14	12	6,5	235	840	4260/5105 3980/4770 3700/4435	1000 900 800	35/15	TT	




4. NYLON PCR TYRE

TR118		6.00-12	6	8,5	4.50B	156	574	360	210		TT	
		5.60-13	8 6	8,5	4J	145	600	400 370	240 210		TT	
		6.70-13	6	9	4½J	170	658	515	210		TT	
TR116		7.50-14	8 6	10	5½J	190	691	630 590	240 210		TT	

TL510		7.00-14	6	8	5J	178	669	545	210		TT	
--------------	---	---------	---	---	----	-----	-----	-----	-----	--	----	--

5. NYLON AGRICULTURAL TYRE

TL528 (TL524)		8.3-24	6	28	W7	210	995	810	240	30	TT	
		8.3-20	6	28	W7	210	895	695	240	30	TT	
TL526		16.9-38	8	39	W15L	430	1685	2520	170	30	TT	
		14.9-28	10	39	W13	378	1365	2120	230	30	TT	
		12.4-28	6	35	W11	315	1260	1275	170	30	TT	
		5.00-12	4	22	4.00G	145	590	280	200	30	TT	
TL512		12-38	8	35	DW11	330	1575	1570	140	30	TT	
		13.6-32	8	36	W12	345	1410	1780	200	30	TT	
		11.2-24	6	35	W10	285	1105	1045	180	30	TT	
		9.5-24	6	30	W8	240	1050	940	210	30	TT	
		7.50-20	6	24	5.50F	205	910	760	210	30	TT	
		7.50-16	6	26	5.50F	205	810	650	210	30	TT	
		6.00-16	6	24	4.50E	165	745	495	250	30	TT	
		6.00-12	6	24	4.50E	165	640	405	250	30	TT	
TL368 (TL314)		5.00-16	8 6	10	3.00D	132	675	1100 525	630 390	16	TT	
		4.50-16	8 6	10	3.00D	122	675	1000 615	650 390	16	TT	
TL312		4.00-16	4 8	7,5	3.00D	110	640	300 450	340 650	32	TT	
		4.00-14	4	7,5	3.00D	110	590	270	340	30	TT	

		4.00-12	4	7	3.00D	110	535	250	340	30	TT	
TR136		7.50-16	6	18	5.50F	205	810	745	280	30	TT	
		6.00-16	6	16	4.50E	165	735	560	330	30	TT	
		6.00-19	6	15	4.50E	164	814	650	330	30	TT	
		9.00-16	14	23,5	6.50E	247	865	1705	425	30	TT	
TR132		6.50-20	6	15	5.50F	180	860	725	310	30	TT	
		5.00-15	4	12	4J	140	665	365	280	30	TT	